

Sports Authority of India

JLN Stadium, New Delhi-110003.

IFB No.3(2)SAI/ES/RC/2015-2016/Gr.II/IFB-030/AL-34

Dated: 23.03.2015

Rate Contract – Group – II

Corrigendum No – 01

Sub: **IFB No.3(2)SAI/ES/RC/2015-2016/Gr.II/IFB-030 dated 10.02.2015 for conclusion of Rate Contract for sports items for the period 2015-2016.**

Consequent upon pre-bid meeting held on 26.02.2015, the following amendments are hereby authorised in the Bidding document of IFB No.3(2)/SAI/ES/RC/2015-2016/Gr.II/IFB-030 for conclusion of Rate Contract for sports items for the period 2015-2016:-

S.No.	For:	Read:
1.	Existing entries appearing at page -1 and at page 4 (section-1) of the bidding document (i). Closing date & time for receipt of Bids (ii). Date & time of opening of Techno-Commercial Bids: (iii). Closing date & time for receipt of Samples:	: 13.04.2015 at 1430 hrs. : 13.04.2015 at 1500 hrs. : Upto 10.04.2015 (from 1100 hrs. to 1700 hrs. on all working days)
2.	Existing entries under clause 6-1(B)- submission of sample at page 10 of the bid document (section-II).	Revised entries appearing at page 1 enclosed with the corrigendum as Annexure-‘I’
3.	Existing entries appearing at page-11-12 of Bid Document under Clause-8 – ‘Bid Prices’ (Section-II)	Revised entries appearing at page-2 enclosed with the Corrigendum as Annexure-‘II’ .
4.	Existing entries appearing at page-19 under Section-III-(A) Qualification Criteria under para-4.	The bidder shall submit one acceptable sample of each item quoted conforming to bids specification.
5.	Existing entries under Sub-Clause-20.1 of ‘Comparison of Bids & Award Criteria’ appearing at page-16 of Bid Document under Section-II.	For comparison & ranking purpose for evaluation, the comparison of the responsive Bids shall be carried out on Free Delivery at Consignee Site basis, (In main land) taking in to consideration all applicable taxes and duties and the freight charges [indicated as %age of total price.
6.	Existing entries under Section-IV – (B) Price Schedule at page-22 of Bid Document	Revised entries appearing at page-3 enclosed with the Corrigendum as Annexure-‘III’ .
7.	Payment Terms: Existing entries under Clause-19 (Section-VII) GCC at page-50 of Bid Document.	Revised entries appearing at page-4 enclosed with the Corrigendum as Annexure-‘IV’ .
4.	Existing entries appearing at page 29-42 of the bid document i.e. technical specifications for Sports items (Section-VI).	Revised entries appearing at page 5-14 enclosed with the corrigendum as Annexure-‘V’

- Note:** (i). In terms of para 12.5 – Section-II of the bid document, Bid Security to be furnished should be valid for 225 days from the opening date of Techno-commercial bids.
(ii). All other entries of the bid document shall remain unaltered.

(Sanjay Saraswat)
Director (ES)

B) Submission of Samples

- (a) **The bidder should submit one Acceptable sample / miniature (wherever applicable-) of each item quoted, conforming to bid specifications, (free of cost) to the purchaser at the following address as per schedule mentioned below:**
- (i) Director (ES) Sport Authority of India, JNS, Stadium New Delhi - 110003
 - (ii) Samples are to be submitted upto 10.04.2015 (from 11:00 AM to 5:00PM.on all working days).
- (b) Sample should be submitted only for the items quoted. Bids received without sample/miniature (wherever applicable) will not be evaluated and will be summarily rejected.
- (c) Each sample should have a card affixed to it, giving particulars of:-
- (i) Bidder's Name , & address
 - (ii) Invitation for Bid No.
 - (iii) Date & time of opening of Techno Commercial Bid
 - (iv) Item No. of the schedule
 - (v) Any other description, if necessary
- (d) The sample will be examined and evaluated by the designated Technical Committee of SAI, whose decision will be final.
- (e) Approved sample of successful bidders shall be retained by SAI. In case any dispute regarding quality of goods supplied arises, the same would be compared with the approved sample so retained by SAI. In case of any deficiency in the supplies are found, the same shall be made good by the supplier as per sample approved by the Technical Committee.
- (f) Un- approved Samples/Samples of unsuccessful bidders will be returned to them. It shall be the responsibility of the bidder to collect the samples from SAI at their own expense.

8 Bid Prices

8.1 The Bidder shall indicate in the Price Schedule provided under Section IV (B) all the specified components of prices shown therein. All the columns shown in the price schedule should be filled in as required. If any column does not apply to a Bidder, same should be clarified as "NA" (means Not Applicable) by the Bidder.

8.2 While filling up the columns of the Price Schedule, the following aspects should be noted for compliance:

8.2.1 For domestic goods or goods of foreign origin available within India, the prices in the corresponding Price Schedule in at Section-IV(B) shall be entered separately in the following manner:

Column 3: The basic price of goods to be quoted should include all applicable duties/levies including Excise duty (if applicable), Packing, Forwarding, Insurance etc.

Column 4: If it is desired by the Bidder to ask for Sales Tax/VAT to be paid as extra, the same must be specifically stated under column 4 . In the absence of any such stipulation in the Bid, it will be presumed that the prices quoted by the Bidder are inclusive of sales tax and no liability of sales tax will be developed upon the Buyer.

In the Bids quoting sales tax extra, the rate and the nature of Sales Tax/VAT applicable should be shown separately. Sales tax/VAT will be paid to the Seller at the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to sales tax/VAT and the same is payable as per the terms of the contract.

Column5: Freight charges (To be indicated as %age of the total cost) for free delivery at consignee site basis should be mentioned under column 5.

For evaluation purpose, these freight charges shall be added to total price to determine all inclusive prices. However, freight charges shall be paid at actual, subject to ceiling of %age of total price quoted.

Statutory variation in the Rate of Sales Tax/VAT shall be allowed on production of documentary evidence.

8.2.2 Octroi Duty and Local Duties & Taxes:

Detailed conditions in this regard are given under General Conditions of Contract.

(B) PRICE SCHEDULE

Sl.No.	Brief description of item	Price per Unit : (Inclusive of all taxes/duties including excise duty (if applicable) excluding ST/CST/VAT/CENVAT)	Sales tax/CST/VAT/CENVA T(if any){% age and value}	Total price per unit (inclusive of ST/VAT etc.) (3+4)	Freight charges for all destinations (main land) (As a %age of total price/unit given in column 5)
1.	2.	3.	4.	5.	6.

The prices quoted above are with Warranty period of one year from the date of acceptance by the Consignee

Delivery Period for delivery of goods till consignee site: _____ (Insert delivery period) for each item alongwith cushioning period from the date of placement of supply order against the Rate Contract. Date & time of delivery would be the essence of the contract. Bidders are advised in their own interest to quote minimum guaranteed delivery period

Minimum time required for Incidental Services i.e. Installation, Demonstration and onsite Training period from the date of handing over of site by the Consignee (If required): _____ (Insert time)

Signature of Bidder_____

Name & Designation_____

Place: _____

Business Address_____

Date: _____

Seal of the Bidder_____

Note:

1. If there is a discrepancy between the unit price and total price the unit PRICE shall prevail.
2. Price under column 3 to be quoted inclusive of all taxes, duties except sales tax/CST/VAT/CENVAT etc. & Freight Charges.

19. TERMS AND MODE OF PAYMENT:

19.1 (a) Payment Terms

100% Payment shall be made after inspection and acceptance of the stores by the consignee, subject to recoveries, if any, by way of liquidated damages or any other charges, recovery towards shortages, breakages etc. as per terms & conditions of contract, against submission of following documents:..

- (i) Inspection & Acceptance certificate issued by consignee as per Performa in section VIII of this Bid document.
 - (ii) Supplier' invoices showing contract number, goods description, quantity, unit price and total amount.
 - (iii) Packing list identifying contents of each package;
 - (iv) Manufacturer's pre-inspection and guarantee/warranty certificate
- (b). Consignee shall be responsible for issuance of Inspection & Acceptance Certificate immediately upon receipt of stores.
- (c). Indentor/Order placing authority shall be responsible for making payment within 30 days after receipt of bills from the supplier.
- (d). **Freight Charges:** Freight charges shall be paid to the contractor at actual subject to a ceiling (%age of total price) as mentioned in the price schedule.
- (e). **Paying Authority/officer:-**
The payment of goods supplied will be made by the Paying officer of concerned purchaser placing the supply order and expenditure is to be booked against his accounts.

Note: All other entries from 19.2 to 19.5 shall remain unaltered.

Technical Specification for Sports Items (14 Disciplines)

1. HANDBALL

S.No	Name / Description of items	Specification	
		Competition	Training
1(i).	Ball (Ball is made of leather or a synthetic Material) It must be spherical. Surface must not be shiny or slippery)	<u>Size & WT</u> 1.For men and male Youth (over 16yrs) 58 to 60cm (cir) 2. 425-475 gm(wt.)	<u>Size & WT</u> 1.For men and male Youth (over 16yrs) 58 to 60cm (cir) 2. 425-475 gm(wt.)
(ii).	Ball	For Women Female Youth (over 16 yrs) and Male Youth(12 to 16yrs) 1. 54-56cm (cir) 2. 325-375gm(wt.)	For Women Female Youth (over 16 yrs) and Male Youth(12 to 16yrs) 1. 54-56cm (cir) 2. 325-375gm(wt.)
(iii).	Ball	For Female Youth age and Male Youth (8-12yrs) 1. 50-52cm(cir) 2. 290-330gm(wt.)	For Female Youth age and Male Youth (8-12yrs) 1. 50-52cm(cir) 2. 290-330gm(wt.)
2.	(i)Goal Post A Goal is placed in the Centre of each Goal line Must be made of uniform light material or synthetic material (rectangular) with rounded edges & painted in 2 colors. (ii)Goal Post	Aluminium: Internal Height 2m Internal Width 3m Size 8x8cm (Thickness) Rounded edges with rounded radius 4+1 mm Gauge 10-14 mm Paint corner(top)28 cm rest 20cm Goal Post (Moveable) with same specs as above.	Wooden: Internal Height 2m Internal Width 3m Size 8x8cm (Thickness) Rounded edges with rounded radius 4+1 mm Gauge 10-14mm Paint corner(top)28cm rest 20cm Goal Post (Moveable) with same specs as above.
3.	Goal Net & Support (Synthetic thread or cotton made) Attached in such a way that a ball thrown into goal cannot immediately rebound or pass through the goal	Depth of the Gold Net at top 0.9mm behind the goal and the bottom 1.1mt (tolerance +.0.1mm) Size of the meshes should not be more the 10x10cm and fixed to the post and the crossbar at least at every 20cm.	Depth of the Gold Net at top 0.9mm behind the goal and the bottom 1.1mt (tolerance +.0.1mm) Size of the meshes should not be more the 10x10cm and fixed to the post and the crossbar at least at every 20cm.

2. Soft Ball

S.No.	Name of the equipment	Weight / Length/ Dimension (Competition)	Weight / Length/ Dimension (Training)
1.	Bat	86.4cm (34 inch) long 1077.0 gm (38 ons) 5.7 cm at large part \pm 0.80mm (Made up with – Metal)	Same - Wooden
2.	Warm up Bat	86.4cm(34 inch) long 1077.0 gm(38 ons) 5.7 cm at large part \pm 0.80mm (Made up with – Metal)	Same - Wooden
3(i).	Official Soft Ball	6.25- 7.00ons 12 inches circumference (Made up with – Fiber)	Same - Rubber
(ii).	Official Soft Ball	6.25- 7.00ons 12 inches circumference (Made up with – Leather)	----
4.	Globes	More than 12.7 Cm (Made up with - Gray, Yellow, white colors)	Same – Artificial Leather
5(i).	Masks(Throat Protector & Helmet)	Fiber	----
(ii).	Masks(Throat Protector & Helmet)	Metal	Iron
6.	Body Protector	Canvas	Leather
7.	Shin guards	Fiber laminated with canvas or Artificial Leather	Same

3. Basketball

S.No.	Name / description of the item	Specification	
		Competition	Training
1.	Basket Ball For all Men competition in all categories – Size - 7	Composite/Synthetic Leather. The outer surface of the Ball shall be made of toxic free leather or rubber material having circumference of 29.5 – 29.875 inches.	The outer surface of the ball may be made of Rubber having circumference of 29.5 – 29.875 inches
2.	Basketball For all Women competition in all categories – Size – 6	The outer surface of the ball shall be made of leather or artificial / composite / synthetic leather	The outer surface of the ball may be made of Rubber
3.	Backboard	30 mm, width 1.050 cm length 1.800 cm with Aluminum Die made framing with adjustment	25/30 mm thick of suitable wooden material with frame in width 1.050 cm length 1.800 cm

		mountings for minor adjustment (Suitable transparent material)	(Suitable wooden material)
4.	Basket Ring	Flexible ring with a spring inside the attachment to back board Pressure Release Ring of solid steel of 20 mm, inside the attachment to backboard	20 mm solid steel with mounting plates
5.	24 Second Clock	A control unit provided for the 24 second clock operator with a loud automatic signal. 24 second clock shall be connected to game clock. Its maximum weight is 60 Kg including support structure.	Same
6.	Game Clock	Digital countdown clock with an automatic signal sound. Ability to indicate time remaining in minutes and second.	Same
7.	Score Board	Digital electronic display which makes clear visible to everyone regarding points scored.	Same
8.	Hydraulic Upright (to be used in indoor only)	Device and Electronic Score Board Includes fiber board with pressure release ring, 24 sec.	Normal/ Upright 25mm
9.	Basketball Net	White cord material with circumference of ring size. 400 – 450 mm in length with 12 loops	Same
10.	Dunking Rings	Made of solid iron. Thickness 20 mm & Circumference 490 mm	Same
11.	Artificial Synthetic Surface (7mm & 8mm)	Synthetic Surface of 10-15 mm thick of (basket ball court size) Non slippery / glazy.	Same
Note: Specifications of all the items as per FIBA Rules.			

4. Football

S.No.	Name of the item/ Description	Specification	
		Competition	Training
1.	Footballs	<ul style="list-style-type: none"> Spherical Made of leather Of a circumference of not more than 70 cm(28 ins) and not less than 68 cm (27 ins) Not more than 450g (16oz) in weight and not less than 410g(14oz) at the start of the match Of a pressure equal to 0.6-1.1 atmosphere (600 – 1100 g/cm²) atsea level (8.5 lbs/sq in to 15.6 lbs/sq in) 	Same
2.	Goal Post Fix (24 Feet X 8 feet) With back support of 2 inch pipe	5 inch pipes with 3-4 Mm gaze (Aluminium)	5 inch pipes with 3-4 Mm gaze
3.	Sin Guard	Plastic	Same
4.	Bib	Polyester	Cotton
5.	Cones (Plastic)	06 inch to 12 inches	Same
6.	Markers (Plastic)	9 inches	Same
7.	Corner Flag	Mini 5 feet long (Plastic with Metal spring)	Same (Metal)
8.	Ladder Plastic	3-8 mtrs.	Same
9.	Air Pump (Plastic/ Metal)	Foot operative Football pump With pressure gaze	Hand operative Football pump With pressure gaze
10.	Football Net 1. High Tenacity Polypropylene 2. Polyethylene 3. Nylon (Grade-I)	With mesh size such that the ball should not pass through / color preferably black	Nylon (Grade-II)/ Cotton (Should cover 24 x 8 ft. area with mesh size such that the ball should not pass through/ color preferably black)

Note: 1. All items should be as per FIFA Norms.

2. For further details refer to technical specifications and Annexure-‘A’ to ‘D’ attached.

5. Volleyball

S.No.	Name of Item/Description	Specification	
		Competition	Training
1.	Volleyballs – Moulded Leather	Synthetic leather material and colour combinations of balls used in international official competitions should comply with FIVB standards Multi colour Weight-260-280gms circumference- 65-67 Cms 18 stripes Pressure .30 to .325 kg/cm ²	The ball shall be spherical, made of a flexible leather or synthetic leather case with a bladder inside, made of rubber or a similar material. Weight-260-280 gms Circumference- 65-67 Cms 18 stripes Pressure .30 to .325 kg/cm ²

2.	Nets – Nylon	The net is 1 m wide and 9.50 to 10 metres long (with 25 to 50 cm on each side of the side bands), made of 10 cm square black mesh. At its top a horizontal band, 7 cm wide, made of two-fold white canvas, is sewn along its full length. Each extreme end of the band has a hole, through which passes a cord, fastening the band to the posts for keeping its top taut. Within the band, a flexible cable fastens the net to the posts and keeps its top taut. At the bottom of the net there is another horizontal band, 5cm wide, similar to the top band, through which is threaded a rope. This rope fastens the net to the posts and keeps its lower part taut.	The net is 1 m wide and 9.50 to 10 metres long (with 25 to 50 cm on each side of the side bands), made of 10 cm square black mesh. At its top a horizontal band, 7 cm wide, made of two-fold white canvas, is sewn along its full length. Each extreme end of the band has a hole, through which passes a cord, fastening the band to the posts for keeping its top taut. Within the band, a flexible cable fastens the net to the posts and keeps its top taut. At the bottom of the net there is another horizontal band, 5cm wide, similar to the top band, through which is threaded a rope. This rope fastens the net to the posts and keeps its lower part taut.
3.	Antennae – Fibre Glass	An antenna is a flexible rod, 1.80 m long and 10 mm in diameter, made of fibreglass or similar material. An antenna is fastened at the outer edge of each side band. The antennae are placed on opposite sides of the net. The top 80 cm of each antenna extends above the net and is marked with 10 cm stripes of contrasting colour, preferably red and white.	An antenna is a flexible rod, 1.80 m long and 10 mm in diameter, made of fibreglass or similar material. An antenna is fastened at the outer edge of each side band. The antennae are placed on opposite sides of the net. The top 80 cm of each antenna extends above the net and is marked with 10 cm stripes of contrasting colour, preferably red and white.
4.	Ball Trollies – Canvas with light weight angles	Flexible trolley with wheels and with a capacity of 10-15 balls	Flexible trolley with wheels and with a capacity of 10-15 balls
5.	Knee Pads - Soft and flexible	Soft snugly fitting knee caps with foam padding on the front side	Same
6.	Net Posts - Rounded iron adjustable	The posts supporting the net are placed at a distance of 0.50-1.00 m outside the side lines. They are 2.55 m high and preferably adjustable. For all FIVB, World and Official Competitions, the posts supporting the net are placed at a distance of 1 m outside the side lines. The posts are rounded and smooth, fixed to the ground without wires. There shall be no dangerous or obstructing devices.	Same
7.	Side Bands - Canvas stripes of 05 cm width	Two white bands are fastened vertically to the net and placed directly above each side line. They are 5 cm wide and 1 m long and are considered as part of the net.	Same

6. HOCKEY

S.NO.	Name of the Item	Specification	
		Competition	Training
1(i).	Hockey Stick Composite Jr. (Glass Fiber Composite For starters)	Bow-18mm Wt- Light Length- 34"35"36"	--
(ii).	HKY. STICK Carbon (WITH- Carbon-G Fiber A.Kevlar)	Lt/Mdm 36.5-38 Bow-17mm-24mm	--
(iii).	Hockey Stick	Wooden	--
2.	HOCKEY TURF BALLS (Match-Gold)	Circumference 224-235mm Wt-156-163gm	Same (Match-Silver)
3.	HKY. GOAL KEEPER EQUIPMENT		
i	FULL SET (OBO Style for Juniors & Sr.)	FULL SET (Under mention Items)	Same
ii	FULL SET (Gold Quality For Seniors & Jr.)	----Do----	Same
A	Hand Protectors	Wdt-228mm Lgth- 355mm	Same
B	Kicker	Mdm/Large/XL	Same
C	Adjustable cooper Padded shorts	Standard	Same
D	Body Protector	Large/XLG/Mdm	Same
E	Abdominal Guard	Standard	Same
F	Helmet	Adjustable	Same
G	Zig-Zag, GK Hky. Stick	Standard	Same
H	Goal Keeper Bag	Standard	Same
I	Leg guard	Ex. Large/ Large/Medium	Same
J	Over Shirt	Standard	Same
K	Over Short	Standard	Same
L	Chin Protector	Standard	Same

Note: Equipment mentioned from A to L is the part of GK's equipment set and the cost is included in the full set cost.

7. Badminton

S.No	Name / Description of items	Specification	
		Competition	Training
1.	Racquet (With wooden handle)	Frame shall not exceed 680mm in overall length and 230 mm in over all weight. Made: Carbon with premium quality.	(i). SAME Made: (i) Aluminium Frame with carbon shaft with wooden handle.
2.	Net	Depth of the Net 760mm and length 6.1mtr. at minimum thickness of the mesh 15mm-20mm. Dimension: Upper edge and lining of the Net is 75mm white tape Made: Cotton	Same Made: Nylon
3.	Badminton Poll	1.55 mtr height from the surface with weight sufficient to hold tension of Net. Made : Metal	--

4.	Shuttle Cocks	(i). Cork Base, Pointed Feathers (ii). Natural, Synthetic (iii). Firmly with thread or other suitable material (iv). Weight 474 to 550 gm of shuttle cock	Shuttle Cock (Nylon / Feather)
----	---------------	--	--------------------------------

8. TENNIS

S.No	Name of the Item	Description	Specification	
			Competition	Training
1(i).	Tennis Racquet Junior	Titanium	21"-23"	Same
(ii).	Tennis Racquet Professional	Graphite	27"	Same
2.	Tennis Balls	Nylon Felt Yellow	Standard	Same
3.	Tennis Net	With Net Wire	Standard	Same
4.	Tennis Screen	--	60x10 ft	Same
			Note: Miniature 4x4 ft to be submitted. (1220x1220 mm)	

9. GOLF

S.No	Name / Description of items	Specification	
		Competition	Training
1.	Playing Golf Ball	Diameter of a Golf Ball is 42.67mm Length/Dimension: Its mass may not exceed 45.93gms per ball Made: Synthetic material	Same
2(i).	Golf Clubs	Length: 03 feet approx. Made : Iron	---
(ii).	Golf Clubs	Length: 03 feet approx. Made: Rubber	-----
3.	Golf Tees	Length : 2-3 inches Made: Plastic	Same
4.	Ball Markers	Made : Steel	Plastic
S.No	Name / Description of items	Specification	
		Competition	Training
5.(i)	Golf Bag	Length: 04 feet approx.	(i)Same :
(ii)		(i) Made : Leather with stainless steel (ii) Made : Canvas with stainless steel	Made :Nylon -----
6.	Towels	Cotton	Same
7.	Gloves	Leather	Cloth Fabric
8.	Shoes	Cloth Fabric	Plastic
9.	Golf Cart	Plastic	Same
10.	Ball Mark Repair Tool	Steel	Same

10. Table Tennis

S.No.	Name of items	Size & Specification	
		Competition	Training
1.	Table Tennis Table	As per ITTF Norms	
2.	Table Tennis Blade	As per ITTF Norms	
3.	Table Tennis Rubber	As per ITTF Norms	
4.	T.T.BALL (Match play) (White / Blue)	As per ITTF Norms	
5.	Table Tennis Surround Arena	2.30mt x 70 cm (Approved by TTFI)	
6.	Table Tennis Glue (Water based Glue)	As per ITTF Norms (ITTFI approved)	
7.	Table Tennis Synthetic flooring (i)Thickness fo4.5 mm (For wooden floor) (ii)Thickness 6mm (for others)	As per ITTF Approved	

11. Sepaktakraw

S.No	Name of the Items	Description	Specification	
			Competition	Training
1(i).	Ball	Men	Marathon (MN-908)	Marathon (MN-201)
(ii).	Ball	Women	Marathon (MN-909)	Marathon (MN-201J)
2.	Net	Nylon	Marathon (MN-801)	Marathon (MN-702)
3.	Post		Made of as per International specification	Made of 1.5" pipe with weight and umpire chair
4.	Flooring	Court Mat	Marathon	----

12. Chess

Sr. No.	Name / Description of the item	Specification	
		Competition	Training
1.	Chess Board	<p>The king's height should be about 9.5 cm. The diameter of the king's base should measure 40 to 50% of its height. The size of the other pieces should be proportionate to their height and form; other elements such as stability, aesthetic consideration etc. may also be taken into account. The weight of the pieces should be suitable for comfortable moving and stability.</p> <p>The chess board consists of 8 x 8 = 64 squares. The size of a square should be twice the diameter of a pawn's base. It is recommended that a size of the square should measure 5 to 6.5 cm.</p>	Same

13. Squash

Sl.No.	Name of Item/ Description	SPECIFICATION	
		COMPETITION	TRAINING
1.	Racquets (Made of carbon fibre /composite fibre)	<p>DIMENSIONS</p> <p>Maximum length - 686 mm</p> <p>Maximum width, measured at right angles to the shaft - 215 mm</p> <p>Maximum length of strings - 390 mm</p> <p>Maximum strung area – 500 sq. cms</p> <p>Minimum width of any frame or any structural member (measured in plane of strings) - 7 mm</p> <p>Maximum depth of any frame or other structural member (measured at right angles to plane of strings) - 26 mm</p> <p>Minimum radius of outside curvature of frame at any point - 50 mm</p> <p>Minimum radius of curvature of any edge of frame or other structural member - 2 mm</p> <p>WEIGHT</p> <p>Maximum weight - 255 gm</p> <p>Material- carbon fibre</p>	Same as for competition
2.	Ball (Made of high quality rubber)	<p>The following specification is the standard for a yellow dot ball to be used under the Rules of Squash:</p> <p>Diameter (millimetres) 40.0 + or - 0.5</p> <p>Weight (grams) 24.0 + or - 1.0</p> <p>Stiffness (N/mm) @ 23 degrees C. 3.2 + or - 0.4</p> <p>Seam Strength (N/mm) 6.0 minimum</p> <p>Rebound Resilience - from 100 inches/254 centimetres @ 23 degrees C. 12% minimum</p> <p style="padding-left: 40px;">@ 45 degrees C. 26% - 33%</p> <p>The speed of balls may also be indicated as follows:</p> <p>Super slow - Yellow Dot</p> <p>Slow - White Dot or Green Dot</p> <p>Medium - Red Dot</p> <p>Fast - Blue Dot</p>	Same as for competition

14. Cricket

S.No.	Name of the Item	Description	Specification	
			Competition	Training
1(i).	Bats	English willow Made of Wood caned Handle with rubber grip	Length: 38" Width: 4.25"	Length: 38" Width: 4.25"
(ii).	Bats	Kashmir Willow Made of wood caned Handle with rubber grip	Length: 38" Width: 4.25"	Length: 38" Width: 4.25"
2 (i).	Batting Gloves	Calf Leather Palm Protective padded	Standard sizes for men & Youth	Standard sizes for men & Youth

(ii).	Batting Gloves	Fabric Cotton Palm Protective padded fingers	Standard sizes for Men & Youth & Boys	Standard sizes for Men & Youth & Boys
3.	Balls	Alum Tanned Leather four piece ball (red)	5.5 to 5.75 oz 8.13/16 to 9"	5.5 to 5.75 oz 8.13/16 to 9"
4.	Stumps/Bails	Cylindrical dome shaped wooden product with bails groove	28" above playing surface.	28-1/2" above the surface with bails diameter 13/8 to 1-1/2 inch, Length of the Bails is 45/16"
5.	Wicket keeping Gloves	Leather gloves for wicket keepers	Suited to size of Palm for Men/Youth /Boys	--
6.	Batting Leg-guards	Protective gear for batsman	Standard size for Men/Youth/Boys	--
7.	Wicket keeping Leg guard	Protective gear for wicket-keepers	Standard size for Men/Youth	--
8.	Helmet	Material used for Helmet are Carbon, Polypropylene acrylonitrile Butadiene styrene or ABS & Nylon. The Grill of the Helmet is of course made from strong steel.	Small, Medium & Large	Small, Medium & Large
9.	Thigh Guard	Light, Soft with adequate padding to protect	Men/Youth /Boys	Men/youth /Boys
10.	Chest Guard	Light, Soft adequate foam padded to protect the chest area	Men / Youth	Men / Youth
11.	Abdominal Guard	Protective gear for impact resistant shell, Designed pocket shield fitted	Men/ Youth/Boys	Men/Youth/Boys
12.	Arm Guard	Light, Soft with adequate padded to protect elbow arm	Men/Youth/Boys	Men/Youth/Boys

Note:

1. Technical Specifications and quality standards of the items quoted should conform to latest technical specifications as laid down by the concerned National / International Sports Federations.
2. Samples (01 No. of each item) is to be submitted conforming to technical specification as laid down for "Competition" and "Training" categories wherever required. For items where technical specifications for Competition and Training categories are same only 01 sample shall be required to be submitted.
3. In respect of items Goal Post and Goal Post Moveable (Football discipline), Handball Goal Post (Wooden & Aluminium part) and Handball Goal Post Moveable, Volleyball Synthetic Surface and Tennis Screen (4x4ft=1220x1220mm) miniature may be submitted.